

RT² Profiler PCR Array (Rotor-Gene[®] Format)

Human Ubiquitination (Ubiquitylation)

Cat. no. 330231 PAHS-079ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Human Ubiquitination or Ubiquitylation Pathway RT² Profiler PCR Array profiles the expression of 84 key genes involved in the regulated degradation of cellular proteins by the ubiquitin-proteasome system. Disruption of the proteasomal degradation pathway has been implicated in a wide range of human diseases, such as cancer, diabetes and cardiovascular and neurodegenerative diseases. The array includes ubiquitin-activating enzymes (E1), ubiquitin-conjugating enzymes (E2), and ubiquitin ligases (E3). These enzymes have also been sub-categorized as regulators of key cellular processes, such as apoptosis, the cell cycle and transcription. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes involved in ubiquitin degradation pathway with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Hs.534456	NM_001002244	ANAPC11	Anaphase promoting complex subunit 11
A02	Hs.533262	NM_013366	ANAPC2	Anaphase promoting complex subunit 2
A03	Hs.268787	NM_005744	ARIH1	Ariadne homolog, ubiquitin-conjugating enzyme E2 binding protein, 1 (Drosophila)
A04	Hs.716466	NM_006395	ATG7	ATG7 autophagy related 7 homolog (S. cerevisiae)
A05	Hs.591642	NM_000465	BARD1	BRCA1 associated RING domain 1
A06	Hs.194143	NM_007294	BRCA1	Breast cancer 1, early onset
A07	Hs.558537	NM_024332	BRCC3	BRCA1/BRCA2-containing complex, subunit 3
A08	Hs.643802	NM_033637	BTRC	Beta-transducin repeat containing
A09	Hs.504096	NM_005188	CBL	Cas-Br-M (murine) ecotropic retroviral transforming sequence
A10	Hs.514997	NM_004359	CDC34	Cell division cycle 34 homolog (S. cerevisiae)
A11	Hs.146806	NM_003592	CUL1	Cullin 1
A12	Hs.82919	NM_003591	CUL2	Cullin 2
B01	Hs.372286	NM_003590	CUL3	Cullin 3
B02	Hs.339735	NM_003589	CUL4A	Cullin 4A
B03	Hs.102914	NM_003588	CUL4B	Cullin 4B
B04	Hs.440320	NM_003478	CUL5	Cullin 5
B05	Hs.520136	NM_014780	CUL7	Cullin 7
B06	Hs.485434	NM_015089	CUL9	Cullin 9
B07	Hs.290758	NM_001923	DDB1	Damage-specific DNA binding protein 1, 127kDa
B08	Hs.409210	NM_014648	DZIP3	DAZ interacting protein 3, zinc finger
B09	Hs.406787	NM_012175	FBXO3	F-box protein 3
B10	Hs.567582	NM_024735	FBXO31	F-box protein 31
B11	Hs.165575	NM_012176	FBXO4	F-box protein 4
B12	Hs.592128	NM_031456	FBXW10	F-box and WD repeat domain containing 10
C01	Hs.515154	NM_032301	FBXW9	F-box and WD repeat domain containing 9
C02	Hs.164453	NM_015052	HECW1	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 1
C03	Hs.654742	NM_020760	HECW2	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
C04	Hs.26663	NM_016323	HERC5	Hect domain and RLD 5
C05	Hs.136905	NM_031407	HUWE1	HECT, UBA and WWE domain containing 1
C06	Hs.573490	NM_017824	MARCH5	Membrane-associated ring finger (C3HC4) 5
C07	Hs.484551	NM_002392	MDM2	Mdm2 p53 binding protein homolog (mouse)
C08	Hs.140903	NM_020774	MIB1	Mindbomb homolog 1 (Drosophila)
C09	Hs.159410	NM_014484	MOCS3	Molybdenum cofactor synthesis 3
C10	Hs.10101	NM_024544	MUL1	Mitochondrial E3 ubiquitin protein ligase 1
C11	Hs.460978	NM_003905	NAE1	NEDD8 activating enzyme E1 subunit 1
C12	Hs.531064	NM_006156	NEDD8	Neural precursor cell expressed, developmentally down-regulated 8
D01	Hs.132954	NM_004562	PARK2	Parkinson protein 2, E3 ubiquitin protein ligase (parkin)
D02	Hs.523744	NM_022457	RFWD2	Ring finger and WD repeat domain 2
D03	Hs.553723	NM_022064	RNF123	Ring finger protein 123
D04	Hs.675191	NM_198085	RNF148	Ring finger protein 148
D05	Hs.515500	NM_005500	SAE1	SUMO1 activating enzyme subunit 1
D06	Hs.171626	NM_006930	SKP1	S-phase kinase-associated protein 1
D07	Hs.23348	NM_005983	SKP2	S-phase kinase-associated protein 2 (p45)
D08	Hs.189329	NM_020429	SMURF1	SMAD specific E3 ubiquitin protein ligase 1
D09	Hs.705442	NM_022739	SMURF2	SMAD specific E3 ubiquitin protein ligase 2
D10	Hs.592081	NM_005861	STUB1	STIP1 homology and U-box containing protein 1, E3 ubiquitin protein ligase
D11	Hs.715498	NM_172230	SYVN1	Synovial apoptosis inhibitor 1, synoviolin
D12	Hs.696710	NM_199129	TMEM189	Transmembrane protein 189
E01	Hs.654481	NM_000546	TP53	Tumor protein p53
E02	Hs.533273	NM_003334	UBA1	Ubiquitin-like modifier activating enzyme 1
E03	Hs.631580	NM_005499	UBA2	Ubiquitin-like modifier activating enzyme 2
E04	Hs.154320	NM_003968	UBA3	Ubiquitin-like modifier activating enzyme 3
E05	Hs.170737	NM_198329	UBA5	Ubiquitin-like modifier activating enzyme 5
E06	Hs.212774	NM_018227	UBA6	Ubiquitin-like modifier activating enzyme 6
E07	Hs.379466	NM_003336	UBE2A	Ubiquitin-conjugating enzyme E2A
E08	Hs.730071	NM_003337	UBE2B	Ubiquitin-conjugating enzyme E2B

Position	UniGene	GenBank	Symbol	Description
E09	Hs.93002	NM_181803	UBE2C	Ubiquitin-conjugating enzyme E2C
E10	Hs.129683	NM_003338	UBE2D1	Ubiquitin-conjugating enzyme E2D 1
E11	Hs.108332	NM_181838	UBE2D2	Ubiquitin-conjugating enzyme E2D 2
E12	Hs.518773	NM_181893	UBE2D3	Ubiquitin-conjugating enzyme E2D 3
F01	Hs.164853	NM_182666	UBE2E1	Ubiquitin-conjugating enzyme E2E 1
F02	Hs.475688	NM_152653	UBE2E2	Ubiquitin-conjugating enzyme E2E 2
F03	Hs.470804	NM_006357	UBE2E3	Ubiquitin-conjugating enzyme E2E 3
F04	Hs.714345	NM_003342	UBE2G1	Ubiquitin-conjugating enzyme E2G 1
F05	Hs.529420	NM_182688	UBE2G2	Ubiquitin-conjugating enzyme E2G 2
F06	Hs.643548	NM_182697	UBE2H	Ubiquitin-conjugating enzyme E2H
F07	Hs.302903	NM_003345	UBE2I	Ubiquitin-conjugating enzyme E2I
F08	Hs.163776	NM_016021	UBE2J1	Ubiquitin-conjugating enzyme E2, J1, U
F09	Hs.191987	NM_194458	UBE2J2	Ubiquitin-conjugating enzyme E2, J2
F10	Hs.728888	NM_005339	UBE2K	Ubiquitin-conjugating enzyme E2K
F11	Hs.108104	NM_003347	UBE2L3	Ubiquitin-conjugating enzyme E2L 3
F12	Hs.406068	NM_003969	UBE2M	Ubiquitin-conjugating enzyme E2M
G01	Hs.524630	NM_003348	UBE2N	Ubiquitin-conjugating enzyme E2N
G02	Hs.607928	NM_017582	UBE2Q1	Ubiquitin-conjugating enzyme E2Q family member 1
G03	Hs.718444	NM_017811	UBE2R2	Ubiquitin-conjugating enzyme E2R 2
G04	Hs.396393	NM_014501	UBE2S	Ubiquitin-conjugating enzyme E2S
G05	Hs.5199	NM_014176	UBE2T	Ubiquitin-conjugating enzyme E2T (putative)
G06	Hs.728774	NM_018299	UBE2W	Ubiquitin-conjugating enzyme E2W (putative)
G07	Hs.514297	NM_023079	UBE2Z	Ubiquitin-conjugating enzyme E2Z
G08	Hs.632370	NM_006048	UBE4B	Ubiquitination factor E4B
G09	Hs.591121	NM_174916	UBR1	Ubiquitin protein ligase E3 component n-recognin 1
G10	Hs.529925	NM_015255	UBR2	Ubiquitin protein ligase E3 component n-recognin 2
G11	Hs.517792	NM_000551	VHL	Von Hippel-Lindau tumor suppressor
G12	Hs.655189	NM_007013	WWP1	WW domain containing E3 ubiquitin protein ligase 1
H01	Hs.520640	NM_001101	ACTB	Actin, beta
H02	Hs.534255	NM_004048	B2M	Beta-2-microglobulin
H03	Hs.592355	NM_002046	GAPDH	Glyceraldehyde-3-phosphate dehydrogenase
H04	Hs.412707	NM_000194	HPRT1	Hypoxanthine phosphoribosyltransferase 1
H05	Hs.546285	NM_001002	RPLP0	Ribosomal protein, large, P0
H06	N/A	SA_00105	HGDC	Human Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX™ FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc™ (QIAGEN Group); ROX™ (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies