

RT² Profiler PCR Array (Rotor-Gene[®] Format)

Rat Chemokines & Receptors

Cat. no. 330231 PARN-022ZR

For pathway expression analysis

Format	For use with the following real-time cyclers
RT ² Profiler PCR Array, Format R	Rotor-Gene Q, other Rotor-Gene cyclers

Description

The Rat Chemokines & Receptors RT² Profiler PCR Array profiles the expression of 84 genes that encode chemokines and their receptors. The array contains members of the C-C and C-X-C motif subfamilies of small inducible cytokines and their receptors as well as other related genes. Using real-time PCR, you can easily and reliably analyze expression of a focused panel of genes related to the immune system with this array.

For further details, consult the *RT² Profiler PCR Array Handbook*.

Shipping and storage

RT² Profiler PCR Arrays in the Rotor-Gene format are shipped at ambient temperature, on dry ice, or blue ice packs depending on destination and accompanying products.

For long term storage, keep plates at –20°C.

Note: Ensure that you have the correct RT² Profiler PCR Array format for your real-time cycler (see table above).

Note: Open the package and store the products appropriately immediately on receipt.



Sample & Assay Technologies

Array layout

The 96 real-time assays in the Rotor-Gene format are located in wells 1–96 of the Rotor-Disc™ (plate A1–A12=Rotor-Disc 1–12, plate B1–B12=Rotor-Disc 13–24, etc.). To maintain data analysis compatibility, wells 97–100 do not contain real-time assays but will contain master mix to account for weight balance.

Gene table: RT² Profiler PCR Array

Position	UniGene	GenBank	Symbol	Description
A01	Rn.21259	XM_342421	C5	Complement component 5
A02	Rn.10680	NM_053619	C5ar1	Complement component 5a receptor 1
A03	Rn.10771	NM_078621	Ccbp2	Chemokine binding protein 2
A04	Rn.10632	NM_019205	Ccl11	Chemokine (C-C motif) ligand 11
A05	Rn.137780	NM_001105822	Ccl12	Chemokine (C-C motif) ligand 12
A06	Rn.46679	NM_057151	Ccl17	Chemokine (C-C motif) ligand 17
A07	Rn.12445	NM_001108661	Ccl19	Chemokine (C-C motif) ligand 19
A08	Rn.4772	NM_031530	Ccl2	Chemokine (C-C motif) ligand 2
A09	Rn.10722	NM_019233	Ccl20	Chemokine (C-C motif) ligand 20
A10	Rn.39658	NM_001008513	Ccl21	Chemokine (C-C motif) ligand 21
A11	Rn.48727	NM_057203	Ccl22	Chemokine (C-C motif) ligand 22
A12	Rn.138822	NM_001013045	Ccl24	Chemokine (C-C motif) ligand 24
B01	Rn.140677	NM_001037203	Ccl25	Chemokine (C-C motif) ligand 25
B02	Rn.195764	NM_053700	Ccl28	Chemokine (C-C motif) ligand 28
B03	Rn.10139	NM_013025	Ccl3	Chemokine (C-C motif) ligand 3
B04	Rn.37880	NM_053858	Ccl4	Chemokine (C-C motif) ligand 4
B05	Rn.8019	NM_031116	Ccl5	Chemokine (C-C motif) ligand 5
B06	Rn.7857	NM_001004202	Ccl6	Chemokine (C-C motif) ligand 6
B07	Rn.26815	NM_001007612	Ccl7	Chemokine (C-C motif) ligand 7
B08	Rn.145427	NM_001012357	Ccl9	Chemokine (C-C motif) ligand 9
B09	Rn.34673	NM_020542	Ccr1	Chemokine (C-C motif) receptor 1
B10	Rn.49607	NM_001108836	Ccr10	Chemokine (C-C motif) receptor 10
B11	Rn.218537	NM_001106872	Ccr11	Chemokine (C-C motif) receptor 1-like 1
B12	Rn.211983	NM_021866	Ccr2	Chemokine (C-C motif) receptor 2
C01	Rn.9890	NM_053958	Ccr3	Chemokine (C-C motif) receptor 3
C02	Rn.81076	NM_133532	Ccr4	Chemokine (C-C motif) receptor 4
C03	Rn.10736	NM_053960	Ccr5	Chemokine (C-C motif) receptor 5
C04	Rn.161767	NM_001013145	Ccr6	Chemokine (C-C motif) receptor 6
C05	Rn.16815	NM_199489	Ccr7	Chemokine (C-C motif) receptor 7
C06	N/A	XM_236704	Ccr8	Chemokine (C-C motif) receptor 8
C07	Rn.91140	NM_172329	Ccr9	Chemokine (C-C motif) receptor 9
C08	Rn.67232	NM_001108191	Ccr12	Chemokine (C-C motif) receptor-like 2
C09	Rn.81197	NM_139111	Klf1	Chemokine-like factor
C10	Rn.44465	NM_022218	Cmklr1	Chemokine-like receptor 1
C11	Rn.163394	NM_001013142	Cmtm2a	CKLF-like MARVEL transmembrane domain containing 2A
C12	Rn.15332	NM_001106164	Cmtm3	CKLF-like MARVEL transmembrane domain containing 3
D01	Rn.100853	NM_001106034	Cmtm5	CKLF-like MARVEL transmembrane domain containing 5
D02	Rn.107266	NM_134455	Cx3cl1	Chemokine (C-X3-C motif) ligand 1
D03	Rn.10482	NM_133534	Cx3cr1	Chemokine (C-X3-C motif) receptor 1
D04	Rn.10907	NM_030845	Cxcl1	Chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha)
D05	Rn.10584	NM_139089	Cxcl10	Chemokine (C-X-C motif) ligand 10
D06	Rn.13664	NM_182952	Cxcl11	Chemokine (C-X-C motif) ligand 11
D07	Rn.54439	NM_022177	Cxcl12	Chemokine (C-X-C motif) ligand 12 (stromal cell-derived factor 1)
D08	Rn.6917	NM_001017496	Cxcl13	Chemokine (C-X-C motif) ligand 13
D09	Rn.3130	NM_001013137	Cxcl14	Chemokine (C-X-C motif) ligand 14
D10	Rn.7070	NM_001017478	Cxcl16	Chemokine (C-X-C motif) ligand 16
D11	Rn.10230	NM_053647	Cxcl2	Chemokine (C-X-C motif) ligand 2
D12	Rn.10525	NM_138522	Cxcl3	Chemokine (C-X-C motif) ligand 3
E01	Rn.44449	NM_022214	Cxcl5	Chemokine (C-X-C motif) ligand 5
E02	Rn.7391	NM_145672	Cxcl9	Chemokine (C-X-C motif) ligand 9
E03	Rn.90347	NM_017183	Cxcr2	Chemokine (C-X-C motif) receptor 2
E04	Rn.24787	NM_053415	Cxcr3	Chemokine (C-X-C motif) receptor 3
E05	Rn.44431	NM_022205	Cxcr4	Chemokine (C-X-C motif) receptor 4
E06	Rn.127121	NM_053303	Cxcr5	Chemokine (C-X-C motif) receptor 5
E07	Rn.217921	NM_001102587	Cxcr6	Chemokine receptor CXCR6
E08	Rn.12959	NM_053352	Cxcr7	Chemokine (C-X-C motif) receptor 7
E09	Rn.31808	NM_019305	Fgf2	Fibroblast growth factor 2

Position	UniGene	GenBank	Symbol	Description
E10	Rn.218643	NM_001106216	Fpr1	Formyl peptide receptor 1
E11	Rn.212749	NM_001071777	Gpr17	G protein-coupled receptor 17
E12	Rn.10852	NM_024359	Hif1a	Hypoxia-inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor)
F01	Rn.10795	NM_138880	Iifng	Interferon gamma
F02	Rn.9868	NM_012854	Il10	Interleukin 10
F03	Rn.104665	NM_001105749	Il16	Interleukin 16
F04	Rn.9869	NM_031512	Il1b	Interleukin 1 beta
F05	Rn.108255	NM_201270	Il4	Interleukin 4
F06	Rn.9873	NM_012589	Il6	Interleukin 6
F07	Rn.138115	NM_019310	Il8ra	Interleukin 8 receptor, alpha
F08	Rn.54465	NM_012711	Ilgam	Integrin, alpha M
F09	Rn.42962	NM_001037780	Irgb2	Integrin, beta 2
F10	Rn.88869	NM_013062	Kdr	Kinase insert domain receptor
F11	Rn.34914	NM_053842	Mapk1	Mitogen activated protein kinase 1
F12	Rn.88085	NM_031020	Mapk14	Mitogen activated protein kinase 14
G01	Rn.6800	NM_001007729	PF4	Platelet factor 4
G02	Rn.6064	NM_013085	Plau	Plasminogen activator, urokinase
G03	Rn.67082	NM_153721	Ppbb	Pro-platelet basic protein (chemokine (C-X-C motif) ligand 7)
G04	Rn.207908	NM_001105713	Prkca	Protein kinase C, alpha
G05	Rn.146652	NM_022632	Slit2	Slit homolog 2 (Drosophila)
G06	Rn.40136	NM_021578	Tgfb1	Transforming growth factor, beta 1
G07	Rn.46387	NM_198769	Tlr2	Toll-like receptor 2
G08	Rn.14534	NM_019178	Tlr4	Toll-like receptor 4
G09	Rn.2275	NM_012675	Tnf	Tumor necrosis factor (TNF superfamily, member 2)
G10	Rn.219088	NM_001012122	Tymp	Thymidine phosphorylase
G11	Rn.1923	NM_031836	Vegfa	Vascular endothelial growth factor A
G12	Rn.90962	NM_134361	Xcl1	Chemokine (C motif) ligand 1
H01	Rn.94978	NM_031144	Actb	Actin, beta
H02	Rn.1868	NM_012512	B2m	Beta-2 microglobulin
H03	Rn.47	NM_012583	Hprt1	Hypoxanthine phosphoribosyltransferase 1
H04	Rn.107896	NM_017025	Ldha	Lactate dehydrogenase A
H05	Rn.973	NM_001007604	Rplp1	Ribosomal protein, large, P1
H06	N/A	U26919	RGDC	Rat Genomic DNA Contamination
H07	N/A	SA_00104	RTC	Reverse Transcription Control
H08	N/A	SA_00104	RTC	Reverse Transcription Control
H09	N/A	SA_00104	RTC	Reverse Transcription Control
H10	N/A	SA_00103	PPC	Positive PCR Control
H11	N/A	SA_00103	PPC	Positive PCR Control
H12	N/A	SA_00103	PPC	Positive PCR Control

Related products

For optimal performance, RT² Profiler PCR Arrays should be used together with the RT² First Strand Kit for cDNA synthesis and RT² SYBR[®] Green qPCR Mastermixes for PCR.

Product	Contents	Cat. no.
RT ² First Strand Kit (12)	Enzymes and reagents for cDNA synthesis	330401
RT ² SYBR Green ROX [™] FAST Mastermix (2)*	For 2 x 96 assays in 96-well plates; suitable for use with the Rotor-Gene Q and other Rotor-Gene cyclers	330620

* Larger kit sizes available; please inquire.

RT² Profiler PCR Array products are intended for molecular biology applications. These products are not intended for the diagnosis, prevention, or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN[®], Rotor-Gene[®], Rotor-Disc[™] (QIAGEN Group); ROX[™] (Applied Biosystems or its subsidiaries); SYBR[®] (Molecular Probes, Inc.).

1067688 03/2011 © 2011 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Brazil ■ 0800-557779

Canada ■ 800-572-9613

China ■ 8621-3865-3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800-787980

Japan ■ 03-6890-7300

Korea (South) ■ 080-000-7145

Luxembourg ■ 8002 2076

Mexico ■ 01-800-7742-436

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 1800-742-4368

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies