

QuantiNova® LNA® Probe PCR Focus Panels (96-Well Format and 384-Well [4 x 96] Format)

Human Inflammatory Response & Autoimmunity

Cat. no. 249955 UPHS-077ZA

For study focus gene expression analysis

Shipping and storage

QuantiNova LNA Probe PCR Focus Panels are shipped at room temperature. Immediately upon receipt, they should be stored protected from light at 2–8°C for short term storage or at –30°C to –15°C for long time storage. Under these conditions, all components are stable for at least 12 months.

Note: Open the package and store the products appropriately immediately upon receipt.

For optimal performance, QuantiNova LNA Probe PCR Focus Panels should be used together with the QuantiNova Reverse Transcription Kit for cDNA synthesis and the QuantiNova Probe PCR Kit (Mastermix) for PCR.

Panel layout (96-well): QuantiNova LNA Probe PCR Focus Panel

For the 384-well (4 × 96) PCR panels, genes are present in a staggered format. Refer to the QuantiNova LNA Probe PCR Handbook at www.qiagen.com for further details.

	1	2	3	4	5	6	7	8	9	10	11	12
A	BCL6	C3	C3AR1	CCL11	CCL13	CCL16	CCL17	CCL19	CCL2	CCL21	CCL22	CCL23
B	CCL24	CCL3	CCL4	CCL5	CCL7	CCL8	CCR1	CCR2	CCR3	CCR4	CCR7	CD14
C	CD40	CD40LG	CEBPB	CRP	CSF1	CXCL1	CXCL10	CXCL2	CXCL3	CXCL5	CXCL6	CXCL9
D	CXCR1	CXCR2	CXCR4	FASLG	FOS	IFNG	IL10	IL10RB	IL15	IL17A	IL18	IL1A
E	IL1B	IL1R1	IL1RAP	IL1RN	IL22	IL23A	IL23R	IL5	IL6	IL6R	CXCL8	IL9
F	ITGB2	KNG1	LTA	LTB	LY96	MYD88	NFKB1	NOS2	NR3C1	PTGS2	RIPK2	SELE
G	TIRAP	TLR1	TLR2	TLR3	TLR4	TLR5	TLR6	TLR7	TLR9	TNF	TNFSF14	TOLLIP
H	ACTB	B2M	GAPDH	HPRT1	RPLP0	HGDC	QIC	QIC	QIC	PPC	PPC	PPC

Gene table: QuantiNova LNA Probe PCR Focus Panel

Position	Assay	Name	Symbol	Ensembl ID	Description
A01	UPFH1132778	ENST00000450123.6	BCL6	ENSG00000113916	BCL6, transcription repressor Source HGNC Symbol Acc HGNC 1001
A02	UPFH1132902	ENST00000596548.1	C3	ENSG00000125730	complement C3 Source HGNC Symbol Acc HGNC 1318
A03	UPFH1172902	ENST00000546241.1	C3AR1	ENSG00000171860	complement C3a receptor 1 Source HGNC Symbol Acc HGNC 1319
A04	UPFH0201571	ENST00000305869.3	CCL11	ENSG00000172156	C-C motif chemokine ligand 11 Source HGNC Symbol Acc HGNC 10610
A05	UPFH1132286	ENST00000225844.7	CCL13	ENSG00000181374	C-C motif chemokine ligand 13 Source HGNC Symbol Acc HGNC 10611
A06	UPFH0253338	ENST00000611905.2	CCL16	ENSG00000275152	C-C motif chemokine ligand 16 Source HGNC Symbol Acc HGNC 10614
A07	UPFH0117775	ENST00000219244.8	CCL17	ENSG00000102970	C-C motif chemokine ligand 17 Source HGNC Symbol Acc HGNC 10615
A08	UPFH1132288	ENST00000378800.3	CCL19	ENSG00000172724	C-C motif chemokine ligand 19 Source HGNC Symbol Acc HGNC 10617
A09	UPFH1132783	ENST00000225831.4	CCL2	ENSG00000108691	C-C motif chemokine ligand 2 Source HGNC Symbol Acc HGNC 10618
A10	UPFH1132290	ENST00000378792.1	CCL21	ENSG00000137077	C-C motif chemokine ligand 21 Source HGNC Symbol Acc HGNC 10620
A11	UPFH1132291	ENST00000219235.5	CCL22	ENSG00000102962	C-C motif chemokine ligand 22 Source HGNC Symbol Acc HGNC 10621
A12	UPFH1132292	ENST00000615050.2	CCL23	ENSG00000274736	C-C motif chemokine ligand 23 Source HGNC Symbol Acc HGNC 10622
B01	UPFH0216555	ENST00000222902.6	CCL24	ENSG00000106178	C-C motif chemokine ligand 24 Source HGNC Symbol Acc HGNC 10623
B02	UPFH1132784	ENST00000613922.2	CCL3	ENSG00000277632	C-C motif chemokine ligand 3 Source HGNC Symbol Acc HGNC 10627
B03	UPFH1132785	ENST00000615863.2	CCL4	ENSG00000275302	C-C motif chemokine ligand 4 Source HGNC Symbol Acc HGNC 10630
B04	UPFH1132786	ENST00000603197.6	CCL5	ENSG00000271503	C-C motif chemokine ligand 5 Source HGNC Symbol Acc HGNC 10632
B05	UPFH0186519	ENST00000378569.2	CCL7	ENSG00000108688	C-C motif chemokine ligand 7 Source HGNC Symbol Acc HGNC 10634
B06	UPFH1132787	ENST00000394620.2	CCL8	ENSG00000108700	C-C motif chemokine ligand 8 Source HGNC Symbol Acc HGNC 10635
B07	UPFH0327828	ENST00000296140.4	CCR1	ENSG00000163823	C-C motif chemokine receptor 1 Source HGNC Symbol Acc HGNC 1602
B08	UPFH0175349	ENST00000445132.2	CCR2	ENSG00000121807	C-C motif chemokine receptor 2 Source HGNC Symbol Acc HGNC 1603
B09	UPFH1132788	ENST00000395940.3	CCR3	ENSG00000183625	C-C motif chemokine receptor 3 Source HGNC Symbol Acc HGNC 1604
B10	UPFH0179708	ENST00000330953.5	CCR4	ENSG00000183813	C-C motif chemokine receptor 4 Source HGNC Symbol Acc HGNC 1605
B11	UPFH0507765	ENST00000246657.2	CCR7	ENSG00000126353	C-C motif chemokine receptor 7 Source HGNC Symbol Acc HGNC 1608
B12	UPFH0199310	ENST00000302014.11	CD14	ENSG00000170458	CD14 molecule Source HGNC Symbol Acc HGNC 1628
C01	UPFH0317626	ENST00000372285.7	CD40	ENSG00000101017	CD40 molecule Source HGNC Symbol Acc HGNC 11919
C02	UPFH0592498	ENST00000370629.6	CD40LG	ENSG00000102245	CD40 ligand Source HGNC Symbol Acc HGNC 11935
C03	UPFH0202295	ENST00000303004.4	CEBPB	ENSG00000172216	CCAAT enhancer binding protein beta Source HGNC Symbol Acc HGNC 1834
C04	UPFH0143745	ENST00000255030.9	CRP	ENSG00000132693	C-reactive protein Source HGNC Symbol Acc HGNC 2367
C05	UPFH1132338	ENST00000329608.11	CSF1	ENSG00000184371	colony stimulating factor 1 Source HGNC Symbol Acc HGNC 2432
C06	UPFH0494346	ENST00000395761.3	CXCL1	ENSG00000163739	C-X-C motif chemokine ligand 1 Source HGNC Symbol Acc HGNC 4602
C07	UPFH0196315	ENST00000306602.3	CXCL10	ENSG00000169245	C-X-C motif chemokine ligand 10 Source HGNC Symbol Acc HGNC 10637
C08	UPFH1132349	ENST00000508487.3	CXCL2	ENSG00000081041	C-X-C motif chemokine ligand 2 Source HGNC Symbol Acc HGNC 4603
C09	UPFH1132889	ENST00000296026.4	CXCL3	ENSG00000163734	C-X-C motif chemokine ligand 3 Source HGNC Symbol Acc HGNC 4604
C10	UPFH1132798	ENST00000296027.5	CXCL5	ENSG00000163735	C-X-C motif chemokine ligand 5 Source HGNC Symbol Acc HGNC 10642
		ENST00000226		ENSG000000	

Position	Assay	Name	Symbol	Ensembl ID	Description
C11	UPFH1132350	317.10	CXCL6	124875	C-X-C motif chemokine ligand 6 Source HGNC Symbol Acc HGNC 10643
C12	UPFH0222764	ENST00000264888.5	CXCL9	ENSG00000138755	C-X-C motif chemokine ligand 9 Source HGNC Symbol Acc HGNC 7098
D01	UPFH0449544	ENST00000295683.2	CXCR1	ENSG00000163464	C-X-C motif chemokine receptor 1 Source HGNC Symbol Acc HGNC 6026
D02	UPFH0032462	ENST00000454148.1	CXCR2	ENSG00000180871	C-X-C motif chemokine receptor 2 Source HGNC Symbol Acc HGNC 6027
D03	UPFH0570418	ENST00000241393.3	CXCR4	ENSG00000121966	C-X-C motif chemokine receptor 4 Source HGNC Symbol Acc HGNC 2561
D04	UPFH1132396	ENST00000367721.3	FASLG	ENSG00000117560	Fas ligand Source HGNC Symbol Acc HGNC 11936
D05	UPFH1132401	ENST00000555242.1	FOS	ENSG00000170345	Fos proto-oncogene, AP-1 transcription factor subunit Source HGNC Symbol Acc HGNC 3796
D06	UPFH1132473	ENST00000229135.4	IFNG	ENSG00000111537	interferon gamma Source HGNC Symbol Acc HGNC 5438
D07	UPFH0028177	ENST00000423557.1	IL10	ENSG00000136634	interleukin 10 Source HGNC Symbol Acc HGNC 5962
D08	UPFH1132476	ENST00000290200.7	IL10RB	ENSG00000243646	interleukin 10 receptor subunit beta Source HGNC Symbol Acc HGNC 5965
D09	UPFH1132873	ENST00000296545.11	IL15	ENSG00000164136	interleukin 15 Source HGNC Symbol Acc HGNC 5977
D10	UPFH0091505	ENST00000648244.1	IL17A	ENSG00000112115	interleukin 17A Source HGNC Symbol Acc HGNC 5981
D11	UPFH1132481	ENST00000528832.1	IL18	ENSG00000150782	interleukin 18 Source HGNC Symbol Acc HGNC 5986
D12	UPFH0436255	ENST00000263339.3	IL1A	ENSG00000115008	interleukin 1 alpha Source HGNC Symbol Acc HGNC 5991
E01	UPFH0163764	ENST00000263341.6	IL1B	ENSG00000125538	interleukin 1 beta Source HGNC Symbol Acc HGNC 5992
E02	UPFH1132482	ENST00000442590.5	IL1R1	ENSG00000115594	interleukin 1 receptor type 1 Source HGNC Symbol Acc HGNC 5993
E03	UPFH1132483	ENST00000412504.6	IL1RAP	ENSG00000196083	interleukin 1 receptor accessory protein Source HGNC Symbol Acc HGNC 5995
E04	UPFH0081459	ENST00000354115.6	IL1RN	ENSG00000136689	interleukin 1 receptor antagonist Source HGNC Symbol Acc HGNC 6000
E05	UPFH0614981	ENST00000328087.6	IL22	ENSG00000127318	interleukin 22 Source HGNC Symbol Acc HGNC 14900
E06	UPFH1132809	ENST00000228534.6	IL23A	ENSG00000110944	interleukin 23 subunit alpha Source HGNC Symbol Acc HGNC 15488
E07	UPFH1132810	ENST00000637002.1	IL23R	ENSG00000162594	interleukin 23 receptor Source HGNC Symbol Acc HGNC 19100
E08	UPFH1132811	ENST00000231454.6	IL5	ENSG00000113525	interleukin 5 Source HGNC Symbol Acc HGNC 6016
E09	UPFH1172910	ENST00000258743.10	IL6	ENSG00000136244	interleukin 6 Source HGNC Symbol Acc HGNC 6018
E10	UPFH1132484	ENST00000622330.4	IL6R	ENSG00000160712	interleukin 6 receptor Source HGNC Symbol Acc HGNC 6019
E11	UPFH0120553	ENST00000307407.8	CXCL8	ENSG00000169429	C-X-C motif chemokine ligand 8 Source HGNC Symbol Acc HGNC 6025
E12	UPFH0611711	ENST00000274520.1	IL9	ENSG00000145839	interleukin 9 Source HGNC Symbol Acc HGNC 6029
F01	UPFH1132499	ENST00000397850.6	ITGB2	ENSG00000160255	integrin subunit beta 2 Source HGNC Symbol Acc HGNC 6155
F02	UPFH0103700	ENST00000645909.1	KNG1	ENSG00000113889	kininogen 1 Source HGNC Symbol Acc HGNC 6383
F03	UPFH1132824	ENST00000454783.5	LTA	ENSG00000226979	lymphotoxin alpha Source HGNC Symbol Acc HGNC 6709
F04	UPFH0509119	ENST00000429299.2	LTB	ENSG00000227507	lymphotoxin beta Source HGNC Symbol Acc HGNC 6711
F05	UPFH0180748	ENST00000284818.6	LY96	ENSG00000154589	lymphocyte antigen 96 Source HGNC Symbol Acc HGNC 17156
F06	UPFH1125930	ENST00000648963.1	MYD88	ENSG00000172936	MYD88, innate immune signal transduction adaptor Source HGNC Symbol Acc HGNC 7562
F07	UPFH1132828	ENST00000226574.9	NFKB1	ENSG00000109320	nuclear factor kappa B subunit 1 Source HGNC Symbol Acc HGNC 7794
F08	UPFH0572128	ENST00000313735.10	NOS2	ENSG00000007171	nitric oxide synthase 2 Source HGNC Symbol Acc HGNC 7873
F09	UPFH1132917	ENST00000394464.7	NR3C1	ENSG00000113580	nuclear receptor subfamily 3 group C member 1 Source HGNC Symbol Acc HGNC 7978
F10	UPFH1132642	ENST00000367468.10	PTGS2	ENSG00000073756	prostaglandin-endoperoxide synthase 2 Source HGNC Symbol Acc HGNC 9605

Position	Assay	Name	Symbol	Ensembl ID	Description
F11	UPFH1132658	ENST00000220751.5	RIPK2	ENSG00000104312	receptor interacting serine/threonine kinase 2 Source HGNC Symbol Acc HGNC 10020
F12	UPFH1132838	ENST00000367777.5	SELE	ENSG00000007908	selectin E Source HGNC Symbol Acc HGNC 10718
G01	UPFH0331111	ENST00000392680.6	TIRAP	ENSG00000150455	TIR domain containing adaptor protein Source HGNC Symbol Acc HGNC 17192
G02	UPFH0034752	ENST00000308979.7	TLR1	ENSG00000174125	toll like receptor 1 Source HGNC Symbol Acc HGNC 11847
G03	UPFH0035742	ENST00000642700.1	TLR2	ENSG00000137462	toll like receptor 2 Source HGNC Symbol Acc HGNC 11848
G04	UPFH0561110	ENST00000296795.7	TLR3	ENSG00000164342	toll like receptor 3 Source HGNC Symbol Acc HGNC 11849
G05	UPFH1132859	ENST00000645071.1	TLR4	ENSG00000136869	toll like receptor 4 Source HGNC Symbol Acc HGNC 11850
G06	UPFH1132729	ENST00000366881.6	TLR5	ENSG00000187554	toll like receptor 5 Source HGNC Symbol Acc HGNC 11851
G07	UPFH1172914	ENST00000508254.5	TLR6	ENSG00000174130	toll like receptor 6 Source HGNC Symbol Acc HGNC 16711
G08	UPFH1132849	ENST00000380659.4	TLR7	ENSG00000196664	toll like receptor 7 Source HGNC Symbol Acc HGNC 15631
G09	UPFH1172915	ENST00000360658.2	TLR9	ENSG00000239732	toll like receptor 9 Source HGNC Symbol Acc HGNC 15633
G10	UPFH1132978	ENST00000449264.3	TNF	ENSG00000232810	tumor necrosis factor Source HGNC Symbol Acc HGNC 11892
G11	UPFH1132854	ENST00000599359.1	TNFSF14	ENSG00000125735	TNF superfamily member 14 Source HGNC Symbol Acc HGNC 11930
G12	UPFH0007721	ENST00000528719.1	TOLLIP	ENSG00000078902	toll interacting protein Source HGNC Symbol Acc HGNC 16476
H01	UPFH1132936	ENST00000646664.1	ACTB	ENSG00000075624	actin beta Source HGNC Symbol Acc HGNC 132
H02	UPFH1132937	ENST00000544417.5	B2M	ENSG00000166710	beta-2-microglobulin Source HGNC Symbol Acc HGNC 914
H03	UPFH1132938	ENST00000229239.10	GAPDH	ENSG00000111640	glyceraldehyde-3-phosphate dehydrogenase Source HGNC Symbol Acc HGNC 4141
H04	UPFH1132939	ENST00000298556.8	HPRT1	ENSG00000165704	hypoxanthine phosphoribosyltransferase 1 Source HGNC Symbol Acc HGNC 5157
H05	UPFH1132941	ENST00000392514.9	RPLP0	ENSG00000089157	ribosomal protein lateral stalk subunit P0 Source HGNC Symbol Acc HGNC 10371
H06	UPFH1126608	UPL_HGDC	HGDC	UPL_HGDC	Human Genomic DNA Contamination
H07	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H08	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H09	UPFH1126606	UPL_QIC	QIC	UPL_QIC	QuantiNova Internal Control
H10	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H11	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control
H12	UPFH1126605	UPL_PPC	PPC	UPL_PPC	Positive PCR Control



Related products

Product	Contents	Cat. no.
QuantiNova LNA Probe PCR QC Panel	These panels are designed to assess the quality of RNA samples before characterization using QuantiNova LNA Probe PCR Focus Panels; available in 96-well, 384-well, and Rotor-Disc 100 formats	249945
QuantiNova Reverse Transcription Kit (10)*	For 10 x 20 μ l reactions: 20 μ l 8x gDNA Removal Mix, 10 μ l Reverse Transcription Enzyme, 40 μ l Reverse Transcription Mix (containing RT primers), 20 μ l Internal Control RNA, 1.9 ml RNase-Free Water	205410
QuantiNova Probe RT-PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml QuantiNova Probe RT-PCR Master Mix, 20 μ l QuantiNova Probe RT Mix, 20 μ l Internal Control RNA, 500 μ l Yellow Template Dilution Buffer, 250 μ l ROX Reference Dye, 1.9 μ l RNase-Free Water	208352
QuantiNova Probe PCR Kit (100)*	For 100 x 20 μ l reactions: 1 ml 2x QuantiNova Probe PCR Master Mix, 500 μ l QuantiNova Yellow Template Dilution Buffer, 250 μ l QN ROX Reference Dye, 1.9 ml Water	208252

*Larger kit sizes available.

The QuantiNova LNA Probe PCR Focus Panels are intended for molecular biology applications. These products are not intended for the diagnosis, prevention or treatment of a disease.

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, LNA®, QuantiNova®, Sample to Insight® (QIAGEN Group); SYBR® (Life Technologies Corp.). Registered names, trademarks, etc. used in this document, even when not specifically marked as such, are not to be considered unprotected by law.

09/2019 © 2019 QIAGEN, all rights reserved.